

Delock Adapter USB Type-C™ 2.0 male > 1 x Parallel DB25 female

Description

This USB Type-C™ to parallel port adapter by Delock supports IEEE 1284 and allows the combination of parallel devices, such as printers, scanners, plotters with a USB Type-C™ port of a PC, laptop or tablet.



1,8 m

Item no. 62980

EAN: 4043619629800

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - 1 x USB Type-C™ 2.0 male >
 - 1 x Parallel DB25 female
- Chipset: Prolific PL2305
- Compatible with USB 2.0, and USB 1.1 full speed 12 Mbps
- Data transfer: Bi-directional
- Supports USB printer via virtual USB port
- Parallel DB25 female with screw
- Cable length incl. connectors: ca. 1.8 m


System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-C™ or Thunderbolt™ 3 port

Package content

- USB Type-C™ to parallel cable
- User manual

Images



General

| | |
|----------------|----------|
| Specification: | IEEE1284 |
|----------------|----------|

Interface

| | |
|--------------|--------------------------|
| Connector 1: | 1 x USB 2.0 Type-C™ male |
| Connector 2: | 1 x Parallel DB25 female |

Technical characteristics

| | |
|--------------------|-----------------|
| Chipset: | Prolific PL2305 |
| Data transmission: | Bi-directional |

Physical characteristics

| | |
|-------------------------------|-------|
| Cable colour: | black |
| Cable length incl. connector: | 1.8 m |
| Colour: | black |