Delock Slot bracket SATA 6 Gb/s receptacle internal > SATA male pin 8 power external 30 cm

Description

With this slot bracket by Delock the SATA pin 8 power connector can be lead outside and e.g. a SATA DOM memory can be connected to the PC externally.



ca. 30 cm

Item no. 84952

EAN: 4043619849529

Country of origin: China

Package: Zip poly bag

Specification

- Connectors:
  1 x SATA 6 Gb/s receptacle >
  1 x SATA 6 Gb/s plug pin 8 power with latchtype
- E.g. for SATA DOM memories (e.g. for Delock item 54776)
- Data transfer rate up to 6 Gb/s
- Downwards compatible to SATA 1.5 Gb/s and 3 Gb/s
- Voltage: 5 V
- Cable gauge:
  30 AWG data line
  24 AWG power line
- Cable diameter: ca. 5.8 mm
- Length without connectors: ca. 30 cm

System requirements


- A free SATA pin 8 power plug on the motherboard

Package content

- Standard slot bracket
- Low profile slot bracket for exchange

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

Images



© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

General

Specification:	SATA 6 Gb/s

Interface

Connector 1:	1 x SATA 6 Gb/s 8 pin plug
Connector 2:	1 x SATA 6 Gb/s 8 pin receptacle

Technical characteristics

Data transfer rate:	6 Gb/s
Voltage:	5 V

Physical characteristics

Conductor gauge:	30 AWG data line 24 AWG power line
Length:	30 cm

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.