


Delock PCI Express Card to 1 x Serial

Description

The Delock PCI Express card expands a PC by one external serial port. Different devices such as scanner, printer, mouse etc. can be connected to this card. By using the included low profile bracket, the PCI Express card can be also installed into a Mini-PC.



Item no. 89236

EAN: 4043619892365

Country of origin: China

Package: Retail Box

Specification

- Connectors:
external: 1 x serial RS-232 DB9 male
internal: 1 x PCI Express x1, V1.1
- Chipset: Oxford OXPCle952
- Data transfer rate up to 230.4 Kbps
- FIFO: 128 byte
- Compatible with 16C950 UART

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC with one free PCI Express slot

Package content

- PCI Express card
- Low profile bracket
- Driver CD

- User manual

Images



General

| | |
|-----------------------------|--|
| Form factor: | Low Profile |
| Specification: | PCIe 1.1 |
| Supported operating system: | Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |
| Slot: | PCIe |

Interface

| | |
|-----------|----------------------------|
| External: | 1 x Serial RS-232 DB9 male |
| Internal: | 1 x PCI Express x1, V1.1 |

Technical characteristics

| | |
|---------------------|------------------|
| Chipset: | OXPCIe952 |
| Data transfer rate: | up to 230.4 Kb/s |
| FIFO: | 128 byte |
| UART: | 16C950 |

Physical characteristics

| | |
|----------------|-------------------------|
| Pin finishing: | gold-plated |
| Screw type: | #4-40 UNC |
| Slot bracket: | Low Profile standard |
| Depth: | 11.1 mm |
| Width: | 65 mm |
| Height: | 59 mm |
| Colour: | anthracite |

