

Delock LTE / GSM / UMTS Antenna N jack 2 - 6,5 dBi 27 cm omnidirectional fixed pole mount white outdoor

Description

This antenna by Delock allows the usage of different LTE, GSM and UMTS bands inside and outside. It is completely compatible to Bluetooth, WLAN 2.4 GHz, ZigBee, DECT, Z-Wave and LoRa 868 MHz / 915 MHz.



Package: Poly bag

Specification

- Connector: N jack
- Frequency range:
 698 960 MHz
 1710 2700 MHz
- ZigBee, Bluetooth, WLAN 2.4 GHz, DECT, Z-Wave, LoRa 868 MHz / 915 MHz
- Antenna gain: 2.0 6.5 dBi
- Impedance: 50 Ohm
- Transmitting power: max. 100 W
- VSWR: 2.0
- Operating temperature: -40 °C ~ 70 °C
- Cable category: coaxial
- Cable type: RG-174
- Cable length: ca. 30 cm
- Cable diameter: ca. 2.7 mm
- Cable colour: black
- Cable loss: ca. 1.5 dB @ 1.5 GHz per meter
- Body: GFK, UV protected
- Length: ca. 27.0 cm



- Diameter: ca. 2.2 cm
- Diameter N jack: ca. 1.66 cm


System requirements

• Device with free N plug

Package content

• LTE Antenna

Images



DATASHEET



General

Mounting type:	pole
Protection category:	IP55
Suitable for indoor:	yes
Suitable for outdoor:	yes

Interface

1 x N female

Technical characteristics

Frequency range:	1710 - 2700 MHz 698 MHz - 960 MHz
Antenna gain:	2 - 6.5 dBi
Beam width horizontal:	360°
Beam width vertical:	60°
Impedance:	50 Ω
Operating temperature:	-40 °C ~ 70 °C
Polarisation:	vertical
Power handling:	max. 100 W
VSWR:	2.0

Physical characteristics

Housing colour:	white
Housing material:	GFRP
Weight:	0.12 kg
Cable category:	coaxial cable
Cable type:	RG-174
Cable attenuation:	0.5 dB @ 800 MHz per meter

DATASHEET



Cable colour:	black
Cable length incl. connector:	30 cm
Diameter:	2.25 cm
Length:	29.5 cm
Width:	21 cm
Height:	6.3 cm