

# Delock Antenna Cable N plug > RP-SMA plug CFD400 LLC400 40 cm low loss

## Description

This high-quality coaxial cable ensures a reliable connection of components of the radio frequency technology. It is characterised by a very low attenuation.



**Item no. 13018**

EAN: 4043619130184

Country of origin: Taiwan,  
Republic of China

Package: Box

## Specification

- Connectors:  
1 x N plug >  
1 x RP-SMA plug
- Impedance: 50 Ohm
- Cable type: CFD400, LLC400
- Cable: coaxial
- Cable attenuation:  
0.22 dB @ 2.4 GHz per meter  
0.35 dB @ 5.7 GHz per meter
- Cable diameter: ca. 10.5 mm
- Smallest bending radius: 51.5 mm
- Cable colour: black
- Length incl. connectors (L): ca. 40 cm

## System requirements

- Device with one free N or RP-SMA port


---

## Package content

- Antenna cable

---

## Images



## Interface

Connector 1:	N plug
Connector 2:	RP-SMA plug

## Technical characteristics

Impedance:	50 $\Omega$
------------	-------------

## Physical characteristics

Cable type:	CFD400, LLC400
Cable attenuation:	2.4 GHz: ca. 0.22 dB per meter 5.7 GHz: ca. 0.35 dB per meter
Cable colour:	black
Cable length:	0.4 m
Smallest bending radius:	51.5 mm