


Delock 3.5" Installation Frame for 2.5" SATA drive black

Description

With this installation frame by Delock a **2.5" drive**, such as an SSD or HDD, can be mounted in a **3.5" drive bay** of a PC. The extensive installation options allow a secure attachment of the frame.

[Delock 3.5" Installation Frame for 2.5" SATA drive](#)



Item no. 18364

EAN: 4043619183647

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - 1 x SATA 6 Gb/s 22 pin plug
 - 1 x SATA 6 Gb/s 22 pin receptacle
- For installation into a 3.5" bay
- For 1 x 2.5" device
- Horizontal and vertical mounting holes
- Suitable for 2.5" SATA HDD / SSD:
 - HDD height up to 12.5 mm
 - SATA HDD / SSD up to 6 Gb/s
- Material: plastic
- Colour: black
- Dimensions (LxWxH): ca. 147 x 101 x 20 mm

System requirements


- A free 3.5" bay
- A free SATA 7 pin interface

- A free SATA 15 pin interface

Package content

- Installation frame
- Screws
- User manual

Images



General

| | |
|---------------------------|------|
| Form factor: | 3.5" |
| Suitable for data medium: | 2.5" |

Interface

| | |
|--------------|-----------------------------------|
| Connector 1: | 1 x SATA 6 Gb/s 22 pin plug |
| Connector 2: | 1 x SATA 6 Gb/s 22 pin receptacle |

Technical characteristics

| | |
|---------------------|--------|
| Data transfer rate: | 6 Gb/s |
|---------------------|--------|

Physical characteristics

| | |
|---------|--------|
| Length: | 147 mm |
| Width: | 101 mm |
| Height: | 20 mm |
| Colour: | black |