

Delock EMI Shielding braided sleeve with zip heat resistant 1 m x 25 mm black

Description

This braided sleeve by Delock can be used for EMC shielding and bundling of exposed cables or electrical tubes.

Shielding through copper protective sheath

The braided sleeve has a copper protective sheath to protect cables and devices from electromagnetic influences. Therefore, this type of braided sleeve is mainly used in the network, measuring devices or machines.

Brilliant resistance

Due to the strong fabric structure (multifilament), the cables will be protected from the weather and damage. The braided sleeve is also characterized by its high abrasion resistance and heat resistance.

With zip

The zip allows multiple opening and closing of the braided sleeve. The cables and tubes can be added or removed multiple times.



Ø 25 mm / 1 m

Item no. 20847

EAN: 4043619208470

Country of origin: China

Package: Zip poly bag

Technical details

- Length: ca. 1 m
- Bundle diameter: max. 25 mm
- EMC shielding
- Environmental temperature: -50 °C ~ 150 °C
- Reusable
- Material: polyester multifilament / copper
- Colour: black

Package content

- Shielding braided sleeve

Images



Technical characteristics

Storage temperature:	-50 °C ~ 125 °C
----------------------	-----------------

Physical characteristics

Material:	polyester multifilament / copper
Length:	1 m
Colour:	black
Bundle diameter: max.:	25 mm

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de