

# Delock USB Charger 1 x USB Type-C™ PD 3.0 / Qualcomm® Quick Charge™ 4+ with 27 W

## Description

This USB Power Delivery (PD) charger by Delock can be used to charge mobile devices with USB Type-C™ connector. It provides various voltages from 3.3 V to 12 V and power up to 27 Watt.



**Item no. 41444**

EAN: 4043619414444

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x USB Type-C™ female
  - 1 x plug CEE 7/16
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.6 A
- Output:
  - PD 3.0: 5.0 V / 9.0 V / 3.0 A, 12.0 V / 2.25 A
  - QC 4+: 3.3 - 9.0 V / 3.0 A, 9.0 - 11.0 V / 2.45 A
- Output power: max. 27.0 W total
- Average active efficiency 87.5 %
- Efficiency at low load (10 %) 80.2 %
- No-load power consumption 0.06 W
- USB Power Delivery (PD) 3.0
- Qualcomm QuickCharge 4+
- PPS (Programmable Power Supply)
- Overload protection
- Over current protection
- Overheating protection
- Short circuit protection
- Operating temperature: 0 °C ~ 35 °C

- Storage temperature: -20 °C ~ 85 °C
- Colour: black
- Dimensions without plug (LxWxH): ca. 63.4 x 59.0 x 30.0 mm

---

## Package content

- USB Charger
- Cable USB-C™ male to USB-C™ male, length ca. 120 cm
- User manual

---

## Images



### Physical characteristics

Housing colour:	black
Length:	63.4 mm
Width:	59 mm
Height:	30.0 mm

### Power supply

Input:	AC 100 - 240 V / 50 - 60 Hz / 0.6 A
Output:	5.0 V / 3.0 A 9.0 V / 3.0 A 12 V / 2.25 A
Connector:	1 x USB Type-C™ female