


# Delock Adaptor USB 3.2 Gen 1 antet pin mamă la cheie internă A mamă

## Descriere scurta

Acest adaptor de la Delock transformă antetul de pin USB intern tată în cheie USB internă A mamă. La adaptor pot fi conectate diverse cabluri, pentru a furniza un USB Type-C™ sau două USB interfețe de Tip-A.

### Adaptor activ

Datorită chipsetului încorporat, USB Type-C™ funcționează ca o configurare a canalului (CC1 și CC2).

**Nr. 41981**

EAN: 4043619419814

Țara de origine: China

Pachet: Retail Box

## Specification

- Conectori:
  - 1 x conector mamă cu 19 pini SuperSpeed USB (USB 3.2 Gen 1)
  - 1 x SuperSpeed USB (USB 3.2 Gen 1) cheie A 20 pini mamă
- Rată de transfer a datelor de până la 5 Gbps
- Alimentare electrică: max. 4,5 wați (5 V / 900 mA)
- Dimensiunii (Lxlxl): aprox. 40 x 22 x 11 mm


## Cerinte de sistem

- Linux Kernel 3.3 sau superior
- Windows 8.1/8.1-64/10/10-64
- Placă de bază cu un conector USB 3.0 cu 19 pini tată

## Pachetul contine

- Adaptor

## Imagini



## General

Specification:	USB 3.0
Supported operating system:	Linux Kernel 3.3 sau superior Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-bit Windows 8.1 64-bit

## Interface

Conector 1:	1 x conector mamă cu pini USB 3.0 cu 20 pini
Conector 2:	1 x SuperSpeed USB (USB 3.2 Gen 1) cheie A 20 pini mamă

## Technical characteristics

Chipset:	Etron EJ179V
Data transfer rate:	USB 3.0 up to 5 Gb/s

## Physical characteristics

Lungime:	40 mm
Width:	22 mm
Height:	11 mm