

# Delock USB 3.2 Gen 2 Enclosure for PlayStation®5 with M.2 NVMe Slot - tool free

## Description

This enclosure by Delock enables the installation of an **M.2 PCIe NVMe SSD** in 2280, 2260 and 2242 format. It connects directly to the **PS5** with the two USB Type-A connectors. The **robust metal housing with air vents** at the sides ensures an optimum temperature of the memory.

### Additional USB Type-A port

This port is directly forwarded from the PlayStation®. Thus, the USB Type-A port on the enclosure can still be used **to connect additional USB devices** or to **charge the game console's controller**.

### USB extension cable

The included extension cable can be used to **connect the enclosure to a PlayStation®4** and thus copy games to the M.2 SSD to use them on the PS5.

Furthermore, the cable can be used to connect the enclosure to a PC or laptop.

### SSD installation without tools

The special feature of this enclosure is that **no tools** are required to install the M.2 SSD. The lid can be pushed backwards by a little pressure, the SSD will be attached to the PCB with a rubber nipple and then the lid is reattached until it locks.

## Note

There is no support for SATA M.2 SSD.



**Item no. 42013**

EAN: 4043619420131

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - external:
    - 2 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) Type-A male

- 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) Type-A female  
internal: 1 x 67 pin M.2 key M slot
- Supports M.2 modules in format 2280, 2260 and 2242 with key M or key B+M based on PCIe (NVMe)
  - Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
  - Supports NVM Express (NVMe)
  - Supports UASP
  - Supports TRIM
  - Supports S.M.A.R.T.
  - Data transfer rate up to 10 Gbps
  - LED indicator for power and access
  - Metal housing
  - Dimensions (LxWxH): ca. 120 x 45 x 15 mm
  - Hot Plug, Plug & Play
- 

## System requirements

- PlayStation®5
  - PlayStation®4 (with cable)
  - Windows 10/10-64/11
  - PC or laptop with a free USB Type-A port
- 

## Package content

- External enclosure M.2
- Cable USB Type-A male to Type-A female, length ca. 30 cm
- 2 x thermal conductive pad
- 1 x thermal conductive plate
- 2 x rubber nipple
- User manual

## Images



## General

Function:	NVM Express (NVMe) Hot Plug Plug & Play TRIM S.M.A.R.T.
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 PlayStation®5
Supported module:	Supports M.2 modules in format 2280, 2260 and 2242 with key M or key B+M based on SATA or PCIe (NVMe)
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

## Interface

External:	2 x USB 10 Gbps Type-A male 1 x USB 10 Gbps Type-A female
Internal:	1 x 67 pin M.2 key M slot

## Technical characteristics

Data transfer rate:	10 Gbps
---------------------	---------

## Physical characteristics

Housing material:	metal
Cable length:	30 cm
Length:	125 mm
Width:	45 mm
Height:	15 mm

## Herstellerinformation

Strasse Beeskowdamm 13/15  
PLZ 14167

Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de