

# Delock External Enclosure for 2 x 2.5" SATA HDD / SSD with RAID + 3 Port USB 3.0 Hub

## Description

The aluminium enclosure by Delock enables the installation of up to two 2.5" SATA HDDs / SSDs. When using more than one SSD, there is the possibility to use different RAID level. Additionally the enclosure has a USB 3.0 hub with 3 ports on its front. The enclosure can be connected via USB Type-A to the PC or laptop.



## Note

If you plug in or unplug a device during operation, it may cause all other connected devices need to reconnect.

**Item no. 42606**

EAN: 4043619426065

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - external:
  - back side:
    - 1 x USB 3.0 Type-B female
    - 1 x DC 12 V power connector
  - front side:
    - 2 x USB 3.0 Type-A female
    - 1 x USB 3.0 Type-A female - Battery Charging specification BC1.2
  - internal:
    - 2 x SATA 6 Gb/s 22 pin receptacle
- Chipset: VIA VL813, JMicron JMS561
- HDD height up to 12.5 mm
- Data transfer rate up to:
  - SuperSpeed USB 5 Gbps,
  - Hi-Speed 480 Mbps,
  - Full-Speed 12 Mbps,
  - Low-Speed 1.5 Mbps
- Supports RAID 0, RAID 1, JBOD, Port Multiplier
- LED indicator for power, access and RAID mode

- Supports automatically rebuild
  - 1 x On / Off switch
  - 1 x on / off switch for the fan
  - 1 x Reset button
  - 1 x DIP switch for RAID mode
  - Metal housing
  - Colour: black
  - Dimensions (LxWxH): ca. 135 x 99 x 59 mm
  - Hot Plug, Plug & Play
- 

## Power supply specification

- Wall power supply
  - Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.6 A
  - Output: 12 V / 2 A
  - Ground outside, plus inside
  - Dimensions:
    - inside:  $\varnothing$  ca. 2.1 mm
    - outside:  $\varnothing$  ca. 5.5 mm
    - length: ca. 9.5 mm
- 

## System requirements

- Chrome OS
  - Linux Kernel 3.3 or above
  - Mac OS 10.13.6 or above
  - Windows 7/7-64/8.1/8.1-64/10/10-64
  - PC or laptop with a free USB Type-A port
- 

## Package content

- External enclosure
- 1 x cable USB 3.0 A male to USB 3.0 B male, length ca. 1 m
- Power supply
- Screws
- User manual

## Images



## General

Function:	Battery Charging BC1.2 Hot Plug Plug & Play
Suitable for data medium:	2.5"
Supported operating system:	Chrome OS Linux Kernel 3.3 or above Mac OS 10.13.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

External:	1 x DC 12 V power connector 1 x USB 5 Gbps Type-A female - Battery Charging specification BC1.2 2 x USB 5 Gbps Type-A female 1 x USB 5 Gbps Type-B female
Internal:	2 x SATA 22 Pin Buchse

## Technical characteristics

Chipset:	VIA VL813 JMicron JMS561
RAID function:	JBOD 0 1 Port Multiplier

## Physical characteristics

Housing material:	metal
Length:	135 mm
Width:	99 mm

Height:	59 mm
Colour:	black