

# Delock External USB 3.1 Type-C Enclosure for 2 x 2.5" SATA HDD / SSD with RAID

## Description

The aluminium enclosure by Delock enables the installation of up to two 2.5" SATA HDDs / SSDs. When using more than one SSD, there is the possibility to use different RAID level. The enclosure can be connected via USB Type-A to the PC or laptop.



## Specification

- Connectors:
  - external:
    - 1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) USB Type-C™ female
    - 1 x 5 V DC jack
  - internal:
    - 2 x SATA 6 Gb/s 22 pin receptacle
- Chipset: Asmedia ASM1352R
- Data transfer rate up to 10 Gbps
- Supports RAID 0, RAID 1, JBOD, Port Multiplier
- LED indicator for power, access and RAID mode
- 1 x On / Off switch
- 1 x internal reset button for RAID mode
- 1 x internal DIP switch for RAID mode
- Supports automatically rebuild (HDD1 > HDD2)
- Metal housing
- Colour: black / grey
- Dimensions (LxWxH): ca. 133 x 89 x 51 mm
- Hot Plug, Plug & Play

## Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.4 A
- Output: 5 V / 2 A
- Ground outside, plus inside
- Dimensions:
  - inside: ø ca. 1.35 mm
  - outside: ø ca. 3.5 mm
  - length: ca. 8.0 mm

## System requirements

- Chrome OS
- Linux Kernel 4.6 or above
- Mac OS 10.13.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

## Package content

- External USB 3.1 Type-C Enclosure
- 1 x cable USB-C™ male to USB A male, length ca. 1 m

## Item no. 42607

EAN: 4043619426072

Country of origin: China

Package: Retail Box



- Power supply
- Screws
- User manual

Images



General	
Function:	Hot Plug Plug & Play
Suitable for data medium:	2.5"
Supported operating system:	Chrome OS Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Linux Kernel 4.6 or above
Interface	
External:	1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) USB Type-C™ female 1 x 5 V DC jack 3.5 mm x 1.35 mm
Internal:	2 x SATA 22 Pin Buchse
Technical characteristics	
Chipset:	Asmedia ASM1352R
Data transfer rate:	up to 10 Gbps
RAID function:	JBOD 0 1 Port Multiplier
Physical characteristics	
Housing material:	Aluminium
Cable length:	1 m
Length:	133 mm
Width:	89 mm
Height:	51 mm
Colour:	black silver