

# Delock Vanjsko USB 3.1 Tip-C kućište za 2 x 2.5" SATA HDD / SSD s RAID-om

## Opis

Aluminijsko kućište tvrtke Delock omogućava instalaciju do dva 2.5" SATA HDD-a / SSD-a. Pri uporabi više SSD-a može se koristiti neka druga RAID razina. Kućište se može povezati na osobno ili prijenosno računalo pomoću USB Tipa-A.



## Tehnički podaci

- Priključak:  
vanjski:  
1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) USB Type-CTM, ženski  
1 x 5 V DC utičnica  
unutarnji:  
2 x 22-pinski SATA 6 Gb/s, ženski
- Skup čipova: Asmedia ASM1352R
- Brzina prijenosa podataka do 10 Gbps
- Podržava RAID 0, RAID 1, JBOD, multiplikator priključaka
- LED indikator za napajanja, pristupa i RAID modusa
- 1 x sklopka za uključivanje / isključivanje
- 1 x interni gumb za resetiranje RAID modusa
- 1 x interna DIP sklopka za RAID modus
- Podržava automatsku rekonstrukciju (HDD1 > HDD2)
- Metalno kućište
- Boja: crni / siv
- Mjere (DxŠxV): oko 133 x 89 x 51 mm
- Utikač pod naponom, pripremljen za rad

## Podaci o električnom napajanju

- Napajanje iz zidne utičnice
- Ulaz: AC 100 ~ 240 V / 50 ~ 60 Hz / 0,4 A
- Izlaz: 5 V / 2 A
- Uzemljenje izvana i iznutra
- Mjere:  
iznutra:  $\varnothing$  oko 1,35 mm  
izvana:  $\varnothing$  oko 3,5 mm  
duljina: oko 8,0 mm

## Preduvjeti sustava

- Chrome OS
- Linux Kernel 4.6 ili noviji
- Mac OS 10.13.6 ili noviji
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Osobno ili prijenosno računalo sa slobodnim USB Tipa-A priključkom

## Sadržaj pakiranja

- Vanjsko USB 3.1 Tip-C kućište
- 1 x kabel USB-C™ muški prema USB A muškom, duljina oko 1 m

## Predmet br. 42607

EAN: 4043619426072

Zemlja podrijetla: China

Pakiranje: Retail Box





- Napajanje
- Vijci
- Korisnički priručnik

Slike





General	
Function:	Hot Plug Plug & Play
Suitable for data medium:	2.5"
Supported operating system:	Chrome OS Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Linux Kernel 4.6 o superiore
Interface	
External:	1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) USB Type-C™ femmina 1 x 5 V DC jack 3.5 mm x 1.35 mm
Internal:	2 x SATA 22 Pin Buchse
Technical characteristics	
Chipset:	Asmedia ASM1352R
Data transfer rate:	up to 10 Gbps
RAID function:	JBOD 0 1 Port Multiplier
Physical characteristics	
Materiale custodia:	Aluminium
Cable length:	1 m
Lunghezza:	133 mm
Width:	89 mm
Height:	51 mm
Colour:	nero silver