

Delock External Enclosure for 2.5" SATA HDD / SSD with USB Type-C™ - IP66

Description

This enclosure by Delock can be used for the installation of a **2.5**" **SATA hard drive or SSD** up to a height of 9.5 mm. By the help of the **integrated USB-CTM cable**, the enclosure can be quickly connected to the computer or laptop.

Protection against water and dust

This enclosure is **protected against the ingress of dust** and has **protection against strong water** jets in accordance with protection class **IP66**. This makes it ideal for use in dirty environments such as workshops or production rooms.



Item no. 42625

EAN: 4043619426256 Country of origin: China Package: Retail Box

Specification

- Connectors:
 - external: 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male
 - internal: 1 x SATA 6 Gb/s 22 pin receptacle
- Chipset: JMicron JMS578
- Suitable for 2.5" SATA HDD / SSD:
 - HDD height up to 9.5 mm
 - SATA HDD / SSD up to 6 Gb/s
 - supports 5 V HDD / SSD
- Protection class: IP66
- Data transfer rate:
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1.5 Mbps
- LED indicator for power and access
- · Colour: black
- Cable length without connectors: ca. 17 cm
- Dimensions (LxWxH): ca. 148 x 94 x 24 mm
- Hot Swap, Plug & Play



System requirements

- Android 8.0 or above
- Chrome OS 75.0 or above
- Linux Kernel 3.3 or above
- Mac OS 10.14.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-CTM port

Package content

- 2.5" external enclosure
- Screwdriver
- 6 x screw
- User manual

Images











General

| Suitable for data medium: | SSD or HDD height up to 9.5 mm |
|-----------------------------|--|
| Supported operating system: | Android 8.0 or above Chrome OS 75.0 or above Linux Kernel 3.3 or above Mac OS 10.14.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |

Interface

| External: | 1 x USB 5 Gbps USB Type-C™ male |
|-----------|-----------------------------------|
| Internal: | 1 x SATA 6 Gb/s 22 pin receptacle |

Technical characteristics

| Chipset: | JMicron JMS578 |
|---------------------|----------------|
| Data transfer rate: | 6 Gb/s |

Physical characteristics

| Housing material: | Plastic |
|-------------------|---------|
| Cable length: | 17 cm |
| Length: | 148 mm |
| Width: | 94 mm |
| Height: | 24 mm |
| Colour: | black |