

DL4 Solar Connectors 1 x male to 3 x female

Description

This DL4 solar connectors by Delock can be used to transmit power obtained from a photovoltaic system.

DL4 connectors

The DL4 plugs and sockets have a snap-in function, which avoids unwanted interruptions and ensures a secure connection. The connection can be released again with the appropriate tool.

IP67 dust and waterproof

The DL4 solar connector is protected from dirt and moisture.



Item no. 60024

EAN: 4043619600243

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
1 x DL4 male
3 x DL4 female
- Cable cross section: ca. 2.5, 4, 6 mm²
- Compatible with MC4, TS4, QC4
- Operating temperature: -40 °C ~ 85 °C
- Protection class: IP67
- Voltage: max. 1000 V
- Colour: black
- Dimensions (LxWxH): ca. 10.4 x 3.9 x 1.8 cm

System requirements

- Free DL4 ports

Package content

- DL4 solar connector

Images



Interface

| | |
|--------------|----------------|
| Connector 1: | 1 x DL4 male |
| Connector 2: | 3 x DL4 female |

Technical characteristics

| | |
|-----------------|--------|
| Voltage supply: | 1000 V |
|-----------------|--------|

Physical characteristics

| | |
|---------|--------|
| Length: | 104 mm |
| Width: | 59 mm |
| Height: | 18 mm |
| Colour: | black |

Manufacturer information

| | |
|-------------|-------------------|
| Street | Beeskowdamm 13/15 |
| Postal code | 14167 |
| City | Berlin |
| Country | Deutschland |
| E-Mail | info@delock.de |
| Website | www.delock.de |