

Conduit Fitting with brass external thread M25 black 2 pieces

Description

This conduit fitting by Delock can be used for easy mounting on corrugated protective conduits. The fitting has a high level of sealing, tensile strength and resilience. In combination with the Delock protective conduit 60459, it provides a secure and firm hold.

IP68 dust and waterproof

The fitting also offers increased protection against dirt and moisture.

Multifunctional application

Due to the robust design, conduit fittings are often used in installations, automation and machine systems.

Please Note

The fitting is suitable for the Delock protective conduit 60459.



2 x

Item no. 60455

EAN: 4043619604555

Country of origin: China

Package: Poly bag

Technical details

- Thread size: M25
- Thread length: 13.0 mm
- Thread diameter: ca. 32.0 mm
- Spanner width: 29.0 mm
- Inner diameter: ca. 22.0 mm
- Outer diameter: ca. 41.0 mm
- Protection class: IP68
- Operating temperature: -40 °C ~ 125 °C
- Material: plastic / brass
- Colour: black

Package content

- 2 x conduit fitting

Images



General

Protection class:	IP68
-------------------	------

Technical characteristics

Operating temperature:	-40 °C ~ 125 °C
------------------------	-----------------

Physical characteristics

Thread length:	13.0 mm
Material:	plastic / brass
Colour:	black
Thread type:	M20

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

