


# Converter MXM to M.2 NVMe Key M slot

## Description

This converter by Delock enables the connection of a **M.2 SSD** in 2280, 2260, 2242 and 2230 format. The converter can be installed into your system internally through the **MXM interface**. Thus it is possible to operate an M.2 NVMe SSD on an MXM interface.



**Item no. 61057**

EAN: 4043619610570

Country of origin: China

Package: Box

## Technical details

- Connectors:  
1 x MXM male  
1 x M.2 key M slot
- Form factor: MXM 3 type-A
- Interface: PCIe Rev. 4.0
- Supports M.2 modules in format 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe (NVMe)
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- Bootable
- Supports NVM Express (NVMe)
- Supports S.M.A.R.T.
- Supports TRIM
- Dimensions (LxWxH): ca. 82 x 70 x 5 mm

## System requirements

- A free MXM 3 interface

## Package content

- Converter
- Mounting material
- User manual

---

## Images



## General

Function:	NVM Express (NVMe) bootable TRIM S.M.A.R.T.
Slot:	PCIe
Supported module:	M.2 modules in format 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

## Interface

Connector 1:	1 x MXM male
Connector 2:	1 x M.2 key M slot

## Manufacturer information

Street Beeskowdamm 13/15  
 Postal code 14167  
 City Berlin  
 Country Deutschland  
 E-Mail info@delock.de  
 Website www.delock.de

