

Delock Adapter USB 3.0 > Gigabit LAN 10/100/1000 Mbps

Description

The adapter by Delock expands a PC or laptop by one network interface via the USB Type-A interface.



Item no. 62121

EAN: 4043619621217

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x USB 5 Gbps Type-A male
 - 1 x Gigabit LAN RJ45 jack
- Chipset: ASIX AX88179
- Data transfer rate:
 - Ethernet up to 10 Mbps (Half/Full Duplex)
 - Fast Ethernet up to 100 Mbps (Half/Full Duplex)
 - Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)
- Compatible with:
 - IEEE 802.3: 10BASE-T
 - IEEE 802.3u: 100BASE-TX
 - IEEE 802.3ab: 1000BASE-T
- Supports Auto MDI-X (automatic detection of standard or crossover network cable)
- Supports Wake On LAN (WOL)
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Support full duplex operation with IEEE 802.3x flow control and half duplex operation with back-pressure
- Downwards compatible to USB 2.0
- LED indicator for link and activity
- USB bus powered

- Cable length without connectors: ca. 50 cm
- Dimensions (LxWxH): ca. 68 x 30 x 18 mm

System requirements

- Linux Kernel 3.13 or above
- Mac OS 10.7 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- USB 3.0 Gigabit LAN adapter
- Driver CD
- User manual

Images



General

Supported operating system:	Linux Kernel 3.16 or above Mac OS 10.7 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indicator:	Link and activity

Interface

Connector 1:	1 x USB 5 Gbps Type-A female
Connector 2:	1 x Gigabit LAN RJ45 jack

Technical characteristics

Chipset:	ASIX AX88179
Data transfer rate:	Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1000 Mbps

Physical characteristics

Colour:	black
---------	-------

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de