

Delock USB 3.0 Hub 3 Port + 1 Port Gigabit LAN 10/100/1000 Mbps

Description

The external USB 3.0 Hub expands your PC or laptop by three additional USB 3.0 ports and one network interface.



Item no. 62431

EAN: 4043619624317

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x USB 3.0 Type Micro-B female
 - 3 x USB 3.0 Type-A female
 - 1 x Gigabit LAN RJ45 jack
 - 1 x DC jack
- Chipset: VIA (Hub), Asix (Ethernet)
- Data transfer rate:
 - USB 3.0 up to 5 Gbps
 - Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)
- Network specification:
 - Compatible with:
 - IEEE 802.3: 10BASE-T
 - IEEE 802.3u: 100BASE-TX
 - IEEE 802.3ab: 1000BASE-T
 - Supports Auto MDI-X (automatic detection of standard or crossover network cable)
 - Supports remote wakeup via link-change, Magic Packet, Microsoft wakeup frame
 - Supports IEEE 802.3az (Energy Efficient Ethernet)
 - Support full duplex operation with IEEE 802.3x flow control and half duplex operation with back-pressure flow control

- Downwards compatible to USB 2.0
 - LED indicator for power and Ethernet connection
 - Power consumption: ca. 0.9 W - 1.4 W
 - USB bus powered
 - Dimensions (LxWxH): ca. 91 x 66 x 20 mm
-

Power supply specification

- Wall power supply
 - Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.25 A
 - Output: 5 V / 2 A
 - Ground outside, plus inside
 - Dimensions:
 - inside: \varnothing ca. 2.1 mm
 - outside: \varnothing ca. 5.5 mm
 - length: ca. 9.5 mm
-

System requirements

- Linux Kernel 5.8.0 or above
 - Windows 10/10-64
 - PC or laptop with a free USB Type-A port
-

Package content

- USB 3.0 Hub + Gigabit LAN adapter
- USB 3.0 Type Micro-B to Type-A cable
- Power supply 5 V / 2 A
- Driver CD
- User manual

Images



Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de