


Delock Adapter HDMI-A male > DisplayPort 1.2 female white

Description

This adapter by Delock enables the connection of an DisplayPort monitor to the system via a free HDMI interface. The adapter supports a resolution up to 4K Ultra HD at 30 Hz and is backward compatible to Full-HD 1080p.



24.5 cm

Item no. 62496

EAN: 4043619624966

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - Input:
 - 1 x HDMI-A 19 pin male
 - 1 x USB Type-A male (power supply)
 - Output:
 - 1 x DisplayPort 20 pin female
- Chipset: STDP2600
- DisplayPort 1.2 and High Speed HDMI specification
- High Speed HDMI receiver - link rate up to 2.97 Gb/s per data pair
- Resolution up to 4Kx2K @ 30 Hz; 1920 x 1080 @ 120 Hz (depending on the system and the connected hardware)
- Supports 3D displays
- Supports Audio 7.1 channel up to 192 kHz sample rate
- Supports HDCP 1.3
- Gold-plated connectors
- Colour depth:
 - RGB / YCC (4:4:4) - 16 bit colour
 - YCC (4:2:2 / 4:2:0) - 16 bit colour
- Power consumption:

operation: ca. 500 mW

standby: ca. 25 mW

- Colour: white
- Cable length incl. connectors: ca. 24.5 cm
- OS independent, no driver installation necessary

System requirements

- A free HDMI-A female
- One free USB-A female
- Monitor with a free DisplayPort interface
- One DisplayPort cable

Package content

- Adapter HDMI to DisplayPort

Images



Interface

Output:	1 x DisplayPort female
Input:	1 x USB Type-A male (power supply) 1 x HDMI male

Technical characteristics

Chipset:	Kinetic STDP2600
Maximum screen resolution:	3840 x 2160 @ 30 Hz

Physical characteristics

Colour:	white
---------	-------

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de