

# Delock Adapter mini DisplayPort 1.1 male > VGA / HDMI / DVI female Passive white

## Description

This mini DisplayPort adapter by Delock enables you to extend your system by one VGA, HDMI and DVI interface. Thus you can connect different devices like e.g. TV, beamer, PC monitor etc. Only one monitor can be used on the adapter, not several at the same time.



24 cm

**Item no. 62630**

EAN: 4043619626304

Country of origin: China

Package: Retail Box

## Technical details

- Connector:
  - 1 x mini DisplayPort 20 pin male >
  - 1 x VGA 15 pin female
  - 1 x HDMI-A 19 pin female
  - 1 x DVI-D (Single Link) 24+1 female
- Chipset: PS8312, PTN3392
- Mini DisplayPort 1.1a specification
- High Speed HDMI specification
- DVI-D (Single Link) 24+1 port with screw nuts (VGA not wired)
- Passive converter (level shifter), suitable only for graphics cards with DP++ output
- Supports a resolution up to 1920 x 1200 / 1080p @ 60 Hz (depending on the system and the connected hardware)
- Power consumption: ca. 100 mW
- 1 x ferrite core
- Cable length ca. 16 cm without connector
- Colour: white
- OS independent, no driver installation necessary

## System requirements

- A free mini DisplayPort DP++ female port

---

## Package content

- Adapter mini DisplayPort to VGA / HDMI / DVI

---

## Images



## General

Specification:	DisplayPort 1.1a HDMI 1.4
Supported operating system:	OS independent, no driver installation necessary

## Interface

Output:	1 x DVI-D 24+1 female 1 x VGA 15 pin female 1 x HDMI-A female
Input:	1 x mini DisplayPort 20 pin male

## Technical characteristics

Chipset:	Parade PS8312 PTN3392
Converter type:	passive (level shifter)
Maximum screen resolution:	1920 x 1200 @ 60 Hz

## Physical characteristics

Ferrite core:	1 x
Cable length:	16 cm
Colour:	white

## Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

