

Delock USB Type-C[™] Adapter to HDMI (DP Alt Mode) 8K with HDR function

Description

This adapter by Delock is suitable for the connection of a HDMI monitor in **8K Ultra HD** (7680 x 4320 @ 60 Hz) resolution to a computer with USB-CTM interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like MacBook, Chromebook and similar. In addition, the adapter can also be operated on a ThunderboltTM 3 interface.



Item no. 62632

EAN: 4043619626328 Country of origin: China Package: Retail Box

Specification

- Connectors:
 - 1 x USB Type-CTM male
 - 1 x HDMI-A female
- Chipset: VIA VL103 + Realtek RTD2173
- DisplayPort 1.4 specification
- · Resolution:

with DSC:

7680 x 4320 @ 60 Hz

without DSC:

7680 x 4320 @ 30 Hz

(depending on the system and the connected hardware)

- Transmission of audio and video signals
- Supports 3D displays
- Supports HDR10
- Supports HDCP 1.4 and 2.2
- · USB bus powered
- Plug & Play
- Housing material: aluminium
- Cable length without connectors: ca. 20 cm



· Colour: grey

System requirements

- Android 10.0 or above
- Chrome OS 86.0 or above
- iPad Pro (3rd Generation) or above
- Linux Kernel 5.4 or above
- Mac OS 11.0.1 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

USB-C™ to HDMI adapter

Images







General

Function:	Plug & Play
Specification:	HDCP 1.4 HDCP 2.2 DisplayPort 1.4
Supported operating system:	Linux Kernel 5.4 or above Mac OS 11.0.1 or above Windows 10 32-Bit Windows 10 Mobile Windows 8.1 32-Bit Windows 8.1 64-Bit Android 10.0 or above Chrome OS 86.0 or above iPad Pro (3rd Generation) or above

Interface

Output:	1 x HDMI-A female
Input:	1 x USB Type-C™ male

Technical characteristics

Chipset:	VIA VL103 Realtek RTD2173
Maximum screen resolution:	7680 x 4320 @ 60 Hz
Signal transmission:	video audio

Physical characteristics

Housing material:	Aluminium
Cable length:	20 cm (without connector)
Colour:	grey