


Delock 2.5" Converter USB 3.1 Micro-B female > M.2 Key B - 7 mm Height

Description

This Delock converter enables the connection of a M.2 SSD in 2280, 2260, 2242 and 2230 format which can be used as a replacement for a 2.5" HDD. The converter can be installed into the system internally through the USB interface.



Item no. 62699

EAN: 4043619626991 Country of origin: Taiwan, Republic of China

Package: Retail Box

Specification

- Connector:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) Type Micro-B female
 - 1 x 67 pin M.2 key B slot
 - 1 x USB 2.0 Type Micro-B female (optional for power supply)
- Interface: SATA
- Form factor: 2.5"
- Supports M.2 modules in format 2280, 2260, 2242 and 2230 with key B or key B+M based on SATA
- Maximum height of the components on the module: 1.5 mm application of double-sided assembled modules supported
- Dimensions (LxWxH): ca. 100 x 70 x 7 mm
- OS independent, no driver installation necessary

System requirements

• A free USB port



Package content

- Converter
- 1 x fixing screw for M.2 module
- 4 x screws for frame
- User manual

Images





General

Form factor:	2.5"
Supported operating system:	OS independent, no driver installation necessary
Slot:	SATA
Supported module:	$\mbox{M.2}$ modules in format 2280, 2260, 2242 and 2230 with key B or key B+M based on SATA
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

Interface

Connector 1:	1 x USB 10 Gbps Type Micro-B female
Connector 2:	1 x 67 pin M.2 key B slot
connector 3:	1 x USB 2.0 Type Micro-B female

Physical characteristics

Length:	100 mm
Width:	70 mm
Height:	7 mm