

Delock Adapter USB Type-C™ > 1 x Serial RS-232

Description

This Delock adapter enables the connection of a serial device via a USB Type-C™ port.



5 cm

Item no. 62740

EAN: 4043619627400

Country of origin: China

Package: Retail Box

Specification

- Connector: 1 x USB Type-C™ male > 1 x serial RS-232 DB9 male
- Chipset: Exar XR1420IL, Sipex
- Serial connector with screw nuts
- Data transfer rate up to 1 Mbps
- FIFO: 512 byte
- Cable length without connector: ca. 5 cm


System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, MAC OS 10.12.3, Linux ab Kernel 2.6.38 / 4.x.x.
- PC or laptop with a free USB Type-C™ or Thunderbolt™ 3 port

Package content

- USB Type-C™ to 1 x serial adapter
- Driver CD
- User manual

Images



General

Supported operating system:	Linux Kernel 2.6.38 or above MAC OS 10.12.3 Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
-----------------------------	--

Interface

Output:	1 x Serial RS-232 DB9 male
Input:	1 x USB Type-C™ male

Technical characteristics

Chipset:	Exar XR1420IL, Sipex
Data transfer rate:	up to 921.6 Kbps
FIFO:	512 Byte

Physical characteristics

Cable length:	5 cm
---------------	------