

Delock Converter USB 3.0 Type-A male > SATA 6 Gb/s 22 pin with 2.5" Protection Cover

Description

This Delock converter can be connected via USB Type-A interface to a PC or laptop. Thus a 2.5" SATA HDD or SSD with a 22 pin SATA interface can be used.



Item no. 62742

EAN: 4043619627424

Country of origin: China

Package: Retail Box

Specification

- Connector:
 - 1 x USB 3.0 Type-A male >
 - 1 x SATA 6 Gb/s 22 pin receptacle
- Chipset: JMS578
- Suitable for 2.5" SATA HDD / SSD:
 - support 3.3 V / 5 V HDD / SSD
 - HDD height up to 9.5 mm
 - HDD / SSD up to 4 TB
- Supports SATA 1.5 Gb/s, SATA 3 Gb/s and SATA 6 Gb/s
- Data transfer rate:
 - USB 3.0 up to 5 Gb/s
 - SATA up to 6 Gb/s
- LED indicator
- USB bus powered
- Colour:
 - cable: black
 - protection cover: grey
- Cable length without connector: ca. 15 cm
- Dimensions protection cover (LxWxH): ca. 129 x 75 x 16 mm

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Mac OS 10.9, Linux Kernel 2.6.31
- PC or laptop with a free USB Type-A port

Package content

- Converter
- Protection cover
- User manual

Images



Anwendungsbild



Anwendungsbild



Anwendungsbild

General

| | |
|-----------------------------|--|
| Suitable for data medium: | 3.3 V and 5 V 2.5" SSD or HDD height up to 9.5 mm |
| Supported operating system: | Mac OS 10.8.2 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |

Interface

| | |
|--------------|-----------------------------|
| Connector 2: | 1 x SATA 6 Gb/s 22 pin plug |
|--------------|-----------------------------|

Technical characteristics

| | |
|---------------------|---|
| Chipset: | JMicron JMS578 |
| Data transfer rate: | USB 5 Gbps up to 5 Gb/s SATA up to 6 Gb/s |
| Voltage: | USB Bus powered (no additional power supply required) |

Physical characteristics

| | |
|---------------|---------------|
| Cable length: | 15 cm |
| Length: | 129 mm |
| Width: | 75 mm |
| Height: | 16 mm |
| Colour: | grey black |