


# Delock Converter Raspberry Pi USB Micro-B female / USB pin header > 1 x SDXC slot

## Description

This converter board by Delock expands the Raspberry Pi via the Micro USB port or the USB pin header by one SDXC slot.



**Item no. 62840**

EAN: 4043619628407

Country of origin: Taiwan,  
Republic of China

Package: Retail Box

## Specification

- Connector:
  - 1 x USB 2.0 Type Micro-B female
  - 1 x 5 pin USB 2.0 pin header (4 pins connected), pitch: 2.54 mm
  - 1 x SDXC slot
- Chipset: Alcor Micro
- Supports following memory cards:
  - SD, SDHC, SDXC, Mini SD\*, Mini SDHC\*, Micro SDHC\*, Micro SDXC\*, T-Flash\*
  - \* with Adapter (Adapter not included in the package content)
- Supports memory:
  - up to 2 TB
  - SD 3.0
  - Class 2 / 4 / 6 / 10 and UHS-I
  - file system FAT / FAT32 / exFAT / NTFS
- Compliant with OHCI 1.0a and EHCI 0.95
- LED on board for SD access
- Dimensions (LxWxH): ca. 65 x 56 x 4 mm
- OS independent, no driver installation necessary


## System requirements

- A free USB port
- USB connection cables

## Package content

- Converter
- 4 x screw
- 4 x nut
- 4 x standoff
- User manual

## Images



## General

Supported operating system:	OS independent, no driver installation necessary
Supported memory card:	SD SDHC SDXC

## Interface

Connector 1:	1 x USB 2.0 Type Micro-B female
Connector 2:	1 x 5 pin USB 2.0 pin header (4 pins connected), pitch: 2.54 mm
connector 3:	1 x SDXC slot

## Technical characteristics

Chipset:	Alcor Micro
----------	-------------

## Physical characteristics

Length:	65 mm
Width:	56 mm
Height:	4 mm