


Delock 2.5" Converter USB 3.1 Gen 2 USB Type-C™ female > 2 x mSATA with RAID 7 mm

Description

This converter by Delock enables the connection of up to two mSATA SSD and can be built in as 2.5" disk. Therefore the converter will be installed into the system through the USB interface. When using more than one SSD, there is the possibility to use different RAID level.



Item no. 62852

EAN: 4043619628520

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) USB Type-C™ female >
 - 2 x mSATA slot (half size / full size)
- Chipset: Asmedia ASM1352R
- Form factor: 2.5"
- Data transfer rate up to:
 - SuperSpeed USB 10 Gbps,
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1.5 Mbps,
 - SATA 6 Gbps
- Downwards compatible to USB 3.0, USB 2.0, USB 1.1
- 1 x Reset button
- DIP switch for RAID mode setting
- For 3.3 V mSATA module
- 4 x LED indicator
- Supports RAID 0, 1, JBOD
- Dimensions (LxWxH): ca. 100 x 70 x 7 mm

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux Kernel 3.19
- A free USB interface

Package content

- Converter
- Cable USB Typ-A male to USB-C™ male, length ca. 50 cm
- User manual

Images



General

Form factor:	2.5"
Supported operating system:	Linux Kernel 3.19 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indicator:	4 x

Interface

Connector 1:	1 x USB 10 Gbps USB Type-C™ female
Connector 2:	2 x mSATA slot (half size / full size)

Technical characteristics

Chipset:	Asmedia ASM1352R
Data transfer rate:	USB 10 Gbps up to 10 Gb/s

Physical characteristics

Length:	100 mm
Width:	70 mm
Height:	7 mm