

Delock Converter Slim SATA 13 pin > USB 2.0 Type-B female

Description

With this converter by Delock an optical drive with Slim SATA connection can be operated via the USB interface. Therefore, the converter can be connected directly to the back of the drive.



Item no. 62857

EAN: 4043619628575 Country of origin: Taiwan, Republic of China

Package: Retail Box

Specification

- Connector:
 - 1 x Slim SATA 6 Gb/s 13 pin female >
 - 1 x USB 3.0 Type-B female
 - 1 x 4 pin USB 2.0 pin header (optional for data transfer)
 - 1 x 4 pin power connector (optional for power supply)
- Power supply via USB host or the additional 4 pin power connector
- Data transfer rate up to 5 Gbps
- Compatible with OHCI 1.0a specification
- Supports Spread Spectrum

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 2.6.x / Kernel 4.x.x
- Optical drive with 13 pin Slim SATA connector
- · A free USB interface





Package content

- Converter
- Screws
- User manual

Images





General

Supported operating system:	Linux Kernel 2.6 or above
Supported operating system.	
	Windows 10 32-Bit
	Windows 10 64-Bit
	Windows 7 32-Bit
	Windows 7 64-Bit
	Windows 8.1 32-Bit
	Windows 8.1 64-Bit

Interface

Connector 1:	1 x Slim SATA 6 Gb/s 13 pin receptacle
Connector 2:	1 x USB 5 Gbps Type-B female
connector 3:	1 x 4 pin USB 2.0 pin header (optional for data transfer)
connector 4:	1 x 4 pin power connector (optional for power supply)

Technical characteristics

Data transfer rate: USB 5 Gbps up to 5 Gb/s