

Delock USB Type-C™ 3.2 Docking Station for 2 x 2.5" SATA HDD / SSD with Clone Function

Description

This docking station by Delock enables an external connection of up to **two 2.5" SATA HDDs or SSDs** through the **USB-C™** interface. This solution does not require an external enclosure since the drive can be plugged into the docking station directly. Furthermore the **clone function** enables to copy the content of one HDD to another without using a PC.



Good cooling

A **fan in the bottom area** of the docking station ensures sufficient cooling of the HDDs or SSDs used, so that the operation also works without problems with closed lid. Another advantage is that **the noise level of the HDDs will be reduced**.

Item no. 63084

EAN: 4043619630844

Country of origin: China

Package: Retail Box

Suitable as transport box

Due to the **elegant design** and the specially designed lid, the docking station is also suitable as a transport box for two 2.5" memories.

Specification

- Connectors:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female
 - 2 x SATA 6 Gb/s 22 pin receptacle
 - 1 x DC jack
- Chipset: Asmedia ASM1352R
- Function key:
 - 1 x Clone button
 - 1 x On / Off switch
- Suitable for 2.5" SATA HDD / SSD
- Suitable for all SATA HDDs up to SATA 6 Gb/s
- Data transfer rate up to 6 Gbps
- LED indicator for power, access and copy status
- Width of the slot: ca. 12.5 mm
- Dimensions (LxWxH) incl. lid: ca. 132 x 93 x 93 mm

- Plug & Play

Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.6 A
- Output: 5 V / 3 A
- Ground outside, plus inside
- Dimensions:
 - inside: ø ca. 1.35 mm
 - outside: ø ca. 3.5 mm
 - length: ca. 10 mm

System requirements

- Android 9.0 or above
- Chrome OS 76.0 or above
- iPad Pro (2018)
- Linux Kernel 3.12 or above
- Mac OS 10.15.2 or above
- Windows 8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-C™ port

Package content

- Docking station
- Cable USB-C™ male to USB-C™ male, length ca. 1 m
- External power supply 5 V / 3 A (incl. EU, UK and USA plug)
- User manual

Images



General

| | |
|-----------------------------|---|
| Function: | Plug & Play |
| Suitable for data medium: | 2.5" SSD or HDD |
| Supported operating system: | Android 9.0 or above Chrome OS 76.0 or above Linux Kernel 3.12 or above Mac OS 10.15.2 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (2018) |

Interface

| | |
|-----------|---|
| External: | 1 x DC jack 1 x USB 10 Gbps USB Type-C™ female |
| Internal: | 2 x SATA 22 Pin Buchse |

Technical characteristics

| | |
|----------|------------------|
| Chipset: | Asmedia ASM1352R |
|----------|------------------|

Physical characteristics

| | |
|-------------------|---------|
| Housing material: | Plastic |
| Cable length: | 1 m |
| Length: | 132 mm |
| Width: | 93 mm |
| Height: | 93 mm |
| Colour: | white |