

HDMI Audio Extractor 4K 60 Hz kompaktni

Opis

Ovaj Delock adapter može se koristiti za izdvajanje audio signala iz HDMI prijenosa. Kada se video signal prikazuje na televizoru ili monitoru, audio signal može se poslati digitalno (S/PDIF) ili analognu (stereo) na druge uređaje, kao što su slušalice ili prijemnik za prostorni zvuk.



Tehnički podaci

- Priključak:
Ulaz:
 - 1 x HDMI-A 19-polni muški
 - 1 x USB Tipa Micro-B, ženski (5 V dovod napajanja)Izlaz:
 - 1 x HDMI-A 19-polni ženski
 - 1 x 3,5 mm ženski stereo priključak s 3 kontakta (audio)
 - 1 x TOSLINK ženski S/PDIF
- HDMI velike brzine, 3D i HDCP 1.4 / HDCP 2.2
- Automatsko prebacivanje na stereo (2.0) kod korištenja stereo utičnice i automatsko utišavanje digitalnog izlaza
- Razlučivost 3840 x 2160 @ 60 Hz
- Širina pojasa videosustava do 600 MHz / 6 Gbps, 18 Gbps maks.
- Podržava sve uobičajene 2.0 i 5.1 audio formate: LPCM, Dolby Digital, DTS Audio
- Podržane brzine uzorkovanja: 16/20/24 bita, 32/44,1/48/88,2/ 96 kHz (ovisno o sustavu i povezanim uređajima)
- HDMI audio preusmjeren na izlaz (prolaz)
- Utrošak snage: maks 2 W

Preduvjeti sustava

- Jedan slobodan HDMI-A ženski
- Slobodni USB Tipa-A ženski priključak

Sadržaj pakiranja

- HDMI Audio Extractor
- USB kabel Tipa-A u kabel Tipa Micro-B približne duljine 30 cm
- Korisnički priručnik

Predmet br. 63276


EAN: 4043619632763

Zemlja podrijetla: China

Pakiranje: Retail Box



Slike





General

Tehnički podaci:	DTS Audio High Speed HDMI Dolby Digital HDCP 1.4 HDCP 2.2 LPCM HDR
------------------	--

Interface

Izlaz:	1 x 3,5 mm ženski stereo priključak s 3 kontakta 1 x HDMI-A 19-polni ženski 1 x TOSLINK female
Ulaz:	1 x HDMI-A 19-polni muški 1 x USB 2.0 tipa Micro-B, ženski

Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz
Video bandwidth:	600 MHz / 6 Gbps

Physical characteristics

Kućište boja:	crna
Materijal kućišta:	Plastika