

Delock Adaptor USB 2.0 Tip-A tată > 1 x RS-232 RJ45 serial tată 3,0 m albastru

Descriere scurta

Acest adaptor USB 2.0 la RS-232 de la Delock este potrivit pentru consola de pe routerele CISCO, comutatoare, puncte de acces etc. prin PC sau laptop.

**Nr. 63289**

EAN: 4043619632893

Țara de origine: China

Pachet: Pungă din plastic
cu închidere tip fermoar

Specification

- Conectori:
 - 1 x USB 2.0 Tip-A, tată
 - 1 x RS-232 seriale RJ45, tată
- Chipset: FTDI FT232RL
- Semnale: CTS(1), DSR(2), RXD(3), GND(4), GND(5), TXD(6), DTR(7), RTS(8)
- Compatibil cu USB 3.0, USB 2.0, și USB 1.1 full speed de 12 Mbps
- Rată de transfer a datelor de până la 230,4 Kb/s
- Lungime cablu: cca 3,0 m
- Potrivit pentru diverse compatibile dispozitive CISCO


Cerinte de sistem

- Windows 7/7-64/8.1/8.1-64/10/10-64/11, Linux ex Kernel 2.6

Pachetul contine

- USB 2.0 la 1 x seriale adaptoare

Imagini



General

| | |
|-----------------------------|---|
| Function: | Plug & Play |
| Specification: | RS-232 (EIA / TIA) USB 1.1 USB 2.0 |
| Supported operating system: | Linux Kernel 2.6 sau superior Mac OS 10.9 sau superior Windows 10 32-bit Windows 10 64-bit Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit |

Interface

| | |
|-------------|-------------------------|
| Conector 1: | 1 x USB 2.0 Type-A male |
| Conector 2: | 1 x RJ45 tată |

Technical characteristics

| | |
|---------------------|-----------------------------|
| Chipset: | FTDI FT232RL |
| Data transfer rate: | up to 230.4 Kb/s |
| FIFO: | 128 byte 256 Byte |
| Data transmission: | full duplex asynchronous |

Physical characteristics

| | |
|-------------------------------|----------|
| Cable length incl. connector: | 3 m |
| Colour: | albastru |