

# Delock Adapter USB 2.0 Type-A male > 1 x Serial RS-232 RJ45 male 5.0 m grey

## Description

This USB 2.0 to RS-232 adapter by Delock is suitable for the console control at CISCO routers, switches, access points and other compatible devices via PC or laptop.



#### Item no. 63308

EAN: 4043619633081 Country of origin: China Package: Zip poly bag

# **Specification**

- Connectors:
  - 1 x USB 2.0 Type-A male
  - 1 x Serial RS-232 RJ45 male
- Chipset: FTDI FT232RL
- Compatible with USB 3.0, USB 2.0, and USB 1.1 full speed 12 Mbps
- Data transfer rate up to 230.4 Kb/s
- Colour: grey
- Cable length inc. connectors: ca. 5.0 m
- · Suitable for various compatible CISCO devices

## System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64/11/Windows Server 2012 R2/Windows Server 2016, ex Linux Kernel 2.6, ex MAC OS 10.9
- PC or laptop with a free USB Type-A port





# Package content

• USB 2.0 to 1 x Serial adapter

#### Images





#### General

| Function:                   | Plug & Play  |
|-----------------------------|--|
| Specification:              | RS-232 (EIA / TIA)<br>USB 1.1<br>USB 2.0   |
| Supported operating system: | Linux Kernel 2.6 or above<br>Mac OS 10.9 or above<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows Server 2012 R2<br>Windows Server 2016 |

## Interface

| Connector 1: | 1 x USB 2.0 Type-A male |
|--------------|-------------------------|
| Connector 2: | 1 x RJ45 male           |

# **Technical characteristics**

| Chipset:            | FTDI FT232RL                                   |
|---------------------|--|
| Data transfer rate: | up to 230.4 Kb/s                               |
| FIFO:               | 1 x 256 byte receiver<br>1 x 128 byte transmit |
| Data transmission:  | asynchronous<br>full duplex                    |

# **Physical characteristics**

| Cable length incl. connector: | 5 m  |
|-------------------------------|------|
| Colour:                       | grey |