

# Delock USB Type-C<sup>™</sup> Adapter to 2 x Gigabit LAN

#### Description

The USB-C<sup>™</sup> adapter by Delock offers 2 network ports with a data transfer rate up to 1000 Mbps. Each port can be configured independently of the other, so one PC can be connected to different networks at the same time.



#### Item no. 63927

EAN: 4043619639274 Country of origin: China Package: Retail Box

### Specification

- Connectors:
  1 x USB 5 Gbps USB Type-C<sup>™</sup> male
  2 x Gigabit LAN RJ45 jack
- Chipset: Realtek RTL8153
- SuperSpeed USB 5 Gbps specification
- Data transfer rate:
- Ethernet up to 10 Mbps (Half/Full Duplex) Fast Ethernet up to 100 Mbps (Half/Full Duplex) Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)
- Compatible with: IEEE 802.3: 10BASE-T IEEE 802.3u: 100BASE-TX IEEE 802.3ab: 1000BASE-T
- Supports Auto MDI-X (automatic detection of standard or crossover network cable)
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports IEEE 802.3x full duplex flow control
- Supports 9k Jumbo Frames
- Downwards compatible to USB 2.0
- · LED indicator for power and activity
- USB bus powered

#### **DATASHEET**



- Colour: black
- Cable length incl. connectors: ca. 20 cm
- Dimensions (LxWxH): ca. 84 x 35 x 17 mm

#### System requirements

- Linux Kernel 4.10 or above
- Mac OS 10.9 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- Device with a free USB Type-C<sup>™</sup> port or with a free Thunderbolt<sup>™</sup> 3 port

#### Package content

- USB Type-C<sup>™</sup> Gigabit LAN adapter
- CD ROM with driver and software
- User manual

#### Images







#### General

Mac OS 10.9 or above
Windows 10 32-Bit
Windows 10 64-Bit
Windows 7 32-Bit
Windows 7 64-Bit
Windows 8.1 32-Bit
Windows 8.1 64-Bit
ex Linux Kernel 4.10.3
Windows 11

#### Interface

Connector 1:	1 x USB 5 Gbps USB Type-C™ male
Connector 2:	2 x Gigabit LAN RJ45 jack

## **Technical characteristics**

Chipset:	Realtek RTL8153
Data transfer rate:	Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps