


Delock Adapter SATA + DDR3 to M.2 key B

Description

This adapter by Delock enables the connection of an M.2 SSD in 2280, 2260 and 2242 format. The data will be transmitted via the SATA 7 pin interface; power will be supplied via the DDR3 slot.



Specification

- Connectors:
 - 1 x SATA 6 Gb/s 7 pin plug
 - 1 x DDR3 DIMM 240 pin plug >
 - 1 x 67 pin M.2 key B slot
- Interface: SATA
- Supports M.2 modules in format 2280, 2260 and 2242 with key B or key B+M based on SATA
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- Bootable
- Dimensions (LxWxH): ca. 133 x 36 x 4 mm

System requirements

- Linux Kernel 3.17 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- A free DDR3 DIMM 240 pin slot
- A free SATA 7 pin interface

Package content

- Adapter
- SATA cable, length ca. 40 cm
- M.2 mounting material
- Screwdriver

Item no. 63960



EAN: 4043619639601

Country of origin: China

Package: Retail Box



Images



General	
Function:	bootable
Supported operating system:	Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Linux Kernel 3.17 or above
Slot:	SATA
Supported module:	M.2 modules in format 2280, 2260 and 2242 with key B or key B+M based on SATA
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported
Interface	
Connector 1:	1 x DDR3 DIMM 240 pin plug
Connector 2:	1 x SATA 6 Gb/s 7 pin plug
connector 3:	1 x 67 pin M.2 key B slot
Physical characteristics	
Length:	133 mm
Width:	36 mm
Height:	4 mm