

Delock External USB 3.0 4 Port Hub with Locking Screw

Description

This USB hub by Delock can be connected to a computer via the USB Type-A interface. It expands the computer by **four USB Type-A** connectors.

Hub with mounting option

Due to the included USB cable and the **locking screw**, this Delock hub is particularly suitable for easy mounting on a monitor or desk. This means that the hub is always at the same location. In addition, the USB devices can be plugged in with one hand, the hub does not have to be held additionally.



Item no. 64046

EAN: 4043619640461 Country of origin: China Package: Retail Box

Specification

- Connectors:
 1 x USB 3.0 Type-A female
 4 x USB 3.0 Type-A female
- Chipset: Genesys Logic GL3520
- Data transfer rate up to: SuperSpeed USB 5 Gbps, Hi-Speed 480 Mbps, Full-Speed 12 Mbps, Low-Speed 1.5 Mbps
- 1 x LED indicator
- Locking screw with silicone pad
- Width of the opening: ca. 10 to 32 mm
- Robust metal housing
- Dimensions (LxWxH): ca. 89 x 46 x 23 mm
- Colour: silver
- Plug & Play





System requirements

- Chrome OS
- Linux Kernel 4.9.4 or above
- Mac OS 10.14.2 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- Hub USB
- 1 x cable USB A male to USB A male, length ca. 1 m
- User manual

Images





General

| Function: | Plug & Play |
|-----------------------------|---|
| Supported operating system: | Chrome OS Linux Kernel 4.9.4 or above Mac OS 10.14.2 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |

Interface

| Connector 1: | 4 x USB 5 Gbps Type-A female |
|--------------|------------------------------|
| Connector 2: | 1 x USB 5 Gbps Type-A female |

Technical characteristics

| Chipset: | Genesys Logic GL3520 |
|---------------------|----------------------|
| Data transfer rate: | up to 5 Gbps |

Physical characteristics

| Cable length: | 1 m |
|---------------|-------|
| Length: | 89 mm |
| Width: | 46 mm |
| Height: | 23 mm |