

Delock 3 ulaza USB konzentrador i HDMI izlaz s USB Type-C™ priključkom PD

Opis

USB konzentrador tvrtke Delock je mobilni pratitelj za prijenosna računala ili tablete s USB Type-C™ priključkom. Do 2 USB Tip-A i jedan USB-C™ uređaj može biti spojeno na konzentrador. Jedan monitor može raditi na HDMI izlazu maksimalne rezolucije do 4K 30 Hz.

USB napajanje s podrškom do 60 W

Konzentrador ima USB Type-C™ ulaz za napajanje koji služi za priključivanje prijenosnog računala ili tableta radi njegova punjenja. Također napaja USB ženske priključke. Konzentrador se također može upotrebljavati bez napajanja.

Mali ali snažan pomoćnik

Zbog svojih malih dimenzija i čvrstog kućišta, ovaj Delock konzentrador posebno je prikladan za putovanja. Lako se može zapakirati u torbu s prijenosnim računalom ili tabletom i koristiti na željeni način.



Tehnički podaci

- Priključak:
 - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ muški >
 - 2 x SuperSpeed USB (USB 3.1 Gen 1) Tipa-A, ženski
 - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ ženski
 - 1 x USB Type-C™ ženski priključak za električno napajanje (opcija za električno napajanje)
 - 1 x HDMI-A ženski
- Skup čipova: Parade PS176, Genesys Logic GL3510, Fresco Logic FL7102
- Razlučivost 3840 x 2160 @ 30 Hz (ovisno o sustavu i spojenom hardveru)
- Prijenos audio i video signala
- Brzina prijenosa podataka do:
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1,5 Mbps
- Ulazna snaga PD: maks 60 W
- 1 x feritna jezgra
- USB Power Delivery (PD) 2.0
- Duljina kabela bez konektora: oko 20 cm
- Mjere (DxŠxV): oko 54 x 54 x 13 mm
- Plug & Play

Preduvjeti sustava

- Android 8.0 ili noviji
- Chrome OS
- Linux Kernel 4.15.3 ili noviji
- Mac OS 10.13.6 ili noviji
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Prijenosno računalo ili tablet sa slobodnim priključkom USB Type-C™ ili priključkom Thunderbolt™ 3

Sadržaj pakiranja

- USB konzentrador
- Korisnički priručnik

Predmet br. 64062

EAN: 4043619640621

Zemlja podrijetla: China

Pakiranje: Retail Box





Slike



**Interface**

Connettore 1:	1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ maschio
Connettore 2:	2 x SuperSpeed USB (USB 3.1 Gen 1) Type-A female
connector 3:	1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ femmina
connector 4:	1 x USB Type-C™ Power Delivery female
connector 5:	1 x HDMI-A female

Technical characteristics

Chipset:	Parade PS176 Genesys Logic GL3510 Fresco Logic FL7102
----------	---

Physical characteristics

Cable length incl. connector:	20 cm
Lunghezza:	54 mm
Width:	54 mm
Height:	13 mm