

Delock 2 Port USB 3.0 Hub and 3 Slot Card Reader with USB Type-C™ Connection

Description

The USB hub by Delock is the mobile companion for laptops or tablets with **USB Type-C™** connection. Up to **2 USB Type-A** devices can be connected to the hub.

Integrated Card Reader

In addition, the hub with integrated card reader expands a PC or laptop by an **SD**, a **Micro SD** and **Compact Flash** slot via the USB Type-C™ connection.

Small sturdy helper

Due to its **small dimensions** and its **sturdy housing**, this Delock Hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



Specification

- Connectors:
 - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male >
 - 2 x SuperSpeed USB (USB 3.1 Gen 1) Type-A female
 - 1 x SD slot
 - 1 x Micro SD slot
 - 1 x CF slot
- Chipset: Genesys Logic GL3233, Realtek RTS5411
- Data transfer rate up to:
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1.5 Mbps
- The Card Reader supports following memory cards:
 1. Slot Secure Digital
 - SD, SD3.0 UHS-I, SD High Capacity (SDHC), SD Ultra, SDHC Ultra, SDXC, MMC-I, MMC-II, MMC 4.0, Mini SD, Mini SDHC, MMCmobile, RS-MMC, RS-MMC 4.0
 2. Slot Micro Secure Digital
 - MicroSD, Micro SDHC, Micro SDHC Ultra, T-Flash, MMCmicro
 3. Slot Compact Flash
 - CF I, CF II, CF4.0, CF Ultra, CF Ultra DMA
- 1 x LED indicator
- Cable length without connectors: ca. 12 cm
- Dimensions (LxWxH): ca. 94 x 39 x 12 mm
- Plug & Play

System requirements

- Android 6.0.1 or above
- Chrome OS
- Linux Kernel 4.3.3 or above
- Mac OS 10.13.3 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Windows 10 Mobile
- Laptop or tablet with a free USB Type-C™ or Thunderbolt™ 3 port

Package content

- USB hub + card reader
- User manual

Item no. 64064

EAN: 4043619640645

Country of origin: China

Package: Retail Box



Images



General	
Supported operating system:	Android 6.0 or above Chrome OS Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Windows 10 Mobile Mac OS 10.13.3 or above Linux Kernel 4.3.3 or above
LED indicator:	1 x
Interface	
Connector 1:	1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male
Connector 2:	2 x USB 3.0 Type-A female
connector 3:	1 x SD slot
connector 4:	1 x Micro SD slot
connector 5:	1 x CF slot
Technical characteristics	
Chipset:	GL3233 Realtek RTS5411
Data transfer rate:	5 Gbps
Physical characteristics	
Length:	94 mm
Width:	39 mm
Height:	12 mm
Cable length without connectors:	12 cm