

Delock Pretvarač USB Tipa-A na SATA s 3.5" zaštitnim poklopcem

Opis

Ovaj Delock pretvarač može se preko USB Tipa-A sučelja spojiti na stolno ili prijenosno računalo. Stoga se može koristiti 2.5" ili 3.5" SATA HDD ili SSD s 22-zatičnim SATA sučeljem.

Zaštitni poklopac za 3.5" HDD

Isporučeni zaštitni poklopac može se koristiti za umetanje HDD-a i nastavak uporabe pretvarača.



Tehnički podaci

- Priključak:
 - 1 x USB 3.0 Tipa-A, muški
 - 1 x 22-pinski SATA 6 Gb/s, ženski
- Skup čipova: JMicron JMS578
- Za 2.5" i 3.5" SATA HDD / SSD
- Podržava SATA 1,5 Gb/s, SATA 3 Gb/s i SATA 6 Gb/s
- Brzina prijenosa podataka:
 - USB 3.0 do 5 Gb/s
 - SATA do 6 Gb/s
- LED indikator
- Boja:
 - kabel: crne
 - zaštitni poklopac: sivi
- Duljina kabela bez konektora: oko 45 cm
- Dimenzije zaštitnog poklopca (DxŠxV): oko 184 x 109 x 32 mm

Podaci o električnom napajanju

- Ulaz: AC 100 ~ 240 V / 50 ~ 60 Hz / 0,8 A
- Izlaz: 12 V / 2 A
- Uzemljenje izvana i iznutra
- Mjere:
 - iznutra: \varnothing oko 2,1 mm
 - izvana: \varnothing oko 5,5 mm
 - duljina: oko 10 mm

Preduvjeti sustava

- Chrome OS 75.0 ili noviji
- Linux Kernel 3.4 ili noviji
- Mac OS 10.14.6 ili noviji
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Osobno ili prijenosno računalo sa slobodnim USB Tipa-A priključkom

Sadržaj pakiranja

- Pretvarač
- Zaštitni poklopac
- Napajanje
- Korisnički priručnik

Predmet br. 64086

EAN: 4043619640867

Zemlja podrijetla: China

Pakiranje: Retail Box





Slike



**General**

Suitable for data medium:	3.5" SSD o HDD
Supported operating system:	Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Chrome OS 75.0 or above Linux Kernel 3.4 or above

Interface

Connettore 1:	1 x USB 3.0 Type-A male
Connettore 2:	1 x SATA 6 Gb/s 22 pin receptacle
connector 3:	1 x jack CC

Technical characteristics

Chipset:	JMicron JMS578
Data transfer rate:	USB 3.0 up to 5 Gb/s SATA up to 6 Gb/s

Physical characteristics

Lunghezza:	184 mm
Width:	109 mm
Height:	32 mm
Colour:	trasparente