

# Delock M.2 Key M to PCIe x16 NVMe Adapter angled with 20 cm cable

## Description

This adapter by Delock can be used to connect a**PCI Express card to an M.2 slot**. The **flexible cable** allows a space-saving installation inside the computer case. The additional power connector can supply the PCIe card with 12 V voltage if required.



#### Item no. 64134

EAN: 4043619641345 Country of origin: China Package: Box

## Specification

- Connectors:
  - 1 x 67 pin M.2 key M male >
  - 1 x PCI Express x16, V3.0
  - 1 x 4 pin power connector
- Interface: PCIe / NVMe
- Form factor: M.2 2280
- Cable gauge: 30 AWG
- Bootable, ex UEFI version 2.3.1
- Supports NVM Express (NVMe)
- Length without connectors: ca. 20 cm

## System requirements

• A free M.2 interface with key M

## Package content



- Adapter
- Screwdriver
- Mounting material
- Power cable 4 pin to SATA, length ca. 15 cm
- User manual

#### Images





#### General

| Function:    | Bootable, ex UEFI 2.3.1<br>NVM Express (NVMe) |  |
|--------------|---|--|
| Interface    |   |  |
| Connector 1: | 1 x 67 pin M.2 Key M male                     |  |
| Connector 2: | 1 x PCI Express x16, V3.0                     |  |
| connector 3: | 1 x 4 pin power connector                     |  |

# **Physical characteristics**

| Cable length: | 20 cm (without connector) |
|---------------|---------------------------|
|               |                           |