

USB 3.2 Gen 1 USB Type-C™ Hub with 3 x USB Type-C™ female + 1 x USB Type-C™ PD 100 Watt

Description

The USB hub by Delock is the mobile companion for laptops or tablets **with USB Type-C™** connection. Up to **3 USB Type-C™ devices** can be connected to the hub.

USB Power Delivery (USB PD 3.0) support up to 100 watt

The hub has a USB Type-C™ Power Delivery port to connect the laptop or tablet to charge it. The hub can also be used without a power supply.

Small sturdy helper

Due to its **small dimensions and its sturdy housing**, this Delock Hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.

Please Note

DisplayPort Alternate Mode (DP Alt Mode) is not supported, so no video signals are transmitted and no monitors can be connected.



15 cm

Item no. 64174

EAN: 4043619641741

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) USB Type-C™ male
 - 3 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) USB Type-C™ female
 - 1 x USB Type-C™ Power Delivery female
- Chipset: Renesas D720210, VIA VL102
- Data transfer rate up to:
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1.5 Mbps
- Electrical power per port: max. 7.5 watt (5 V / 1.5 A)
- Electrical power in total: max. 10 watt (5 V / 2 A)
- Plug & Play
- Housing material: aluminium
- Colour: black
- Cable length without connectors: ca. 15 cm
- Dimensions (LxWxH): ca. 77 x 43 x 11 mm

System requirements

- Linux Kernel 5.11 or above
- Mac OS 12.3.1 or above
- Windows 8.1/8.1-64/10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- PC or laptop with a free USB Type-C™ or Thunderbolt™ 3 port

Package content

- USB hub
- User manual

Images



General

Function:	Plug & Play
Supported operating system:	Surface Pro 7 Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (3rd Generation) or above iPad Air (4th Generation) or above Windows 11 Linux Kernel 5.11 or above Mac OS 12.3.1 or above

Interface

Connector 1:	1 x USB 5 Gbps USB Type-C™ male
Connector 2:	3 x USB 5 Gbps USB Type-C™ female
Connector 3:	1 x USB Type-C™ Power Delivery female

Technical characteristics

Chipset:	VIA VL102 Renesas D720210
Data transfer rate:	5 Gbps

Physical characteristics

Length:	77 mm
Width:	43 mm
Height:	11 m
Colour:	black
Cable length without connectors:	15 cm

Manufacturer information

Street Beeskowdamm 13/15
Postal code 14167

City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

