# Delock USB Type-C™ Adapter to DisplayPort (DP Alt Mode) 8K with HDR and Power Delivery 60 W

## Description

This adapter by Delock is suitable for the connection of a DisplayPort monitor in **8K Ultra HD** (7680 x 4320 @ 60 Hz) resolution to a computer with **USB-C™** interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like MacBook, Chromebook and similar. In addition, the adapter can also be operated on a Thunderbolt™ 3 interface.




**USB Power Delivery (USB PD 3.0) support up to 60 watt**
This adapter has a USB Type-C™ Power Delivery port. If this port is connected to the power supply of the laptop or tablet, the host device is charged with up to 60 watts during operation.

**Item no. 64202**

EAN: 4043619642021

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  1 x USB Type-C™ male
  1 x DisplayPort female
  1 x USB Type-C™ PD female (power supply)
- DisplayPort 1.4 specification
- Resolution:
  with DSC:
  7680 x 4320 @ 60 Hz
  3840 x 2160 @ 144 Hz
  without DSC:
  7680 x 4320 @ 30 Hz
  3840 x 2160 @ 120 Hz
  (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports 3D displays
- Supports HDR10
- Supports HDCP 1.4 and 2.2
- Output power for host: max. 60 W
- Plug & Play

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

- Housing material: aluminium
- Cable length without connectors: ca. 13 cm
- Colour: black

## System requirements

- Android 11.0 or above
- Chrome OS
- Linux Kernel 5.11 or above
- Mac OS 12.2.1 or above
- Windows 8.1/8.1-64/10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

## Package content

- USB-C™ to DisplayPort adapter
- User manual

## Images






© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

## General

| | |
|---|---|
| Function: | Plug & Play<br>HDR / HDR10 |
| Supported operating system: | Chrome OS<br>Surface Pro 7<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>iPad Pro (3rd Generation) or above<br>iPad Air (4th Generation) or above<br>Windows 11<br>Linux Kernel 5.11 or above<br>Mac OS 12.2.1 or above<br>Android 11.0 or above |

## Interface

| | |
|---|---|
| Connector 1: | 1 x USB Type-C™ male |
| Connector 2: | 1 x DisplayPort female |
| connector 3: | 1 x USB Type-C™ Power Delivery female |

## Technical characteristics

| | |
|---|---|
| Maximum screen resolution: | 7680 x 4320 @ 60 Hz |

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.