

# Delock 4 Port USB 2.0 Isolator Hub with 5 kV Isolation for data lines

### Description

The USB hub isolator by Delock expands the host by four USB Type-A ports and separates the electrical connection of the data lines between Host-PC and USB devices. The **galvanic isolation** avoids the disturbing noises in the audio field and inexact measuring results in the laboratory field. The compact device supports the **USB 2.0 specification** with Low-, Full and High-Speed.

#### Converter for voltage supply

A DC to DC converter inside the USB isolator allows the separation between host and device of the USB power lines.

### Sturdy metal housing

The sturdy metal housing has four holes for mounting e.g. to machines and is therefore also suitable for industrial applications.

#### Secure stand

The **rubber pads** on the bottom prevent the hub from slipping when, e.g. a USB stick or USB cable is plugged in.



#### Item no. 64226

EAN: 4043619642267 Country of origin: Taiwan, Republic of China Package: Retail Box

## Specification

- Connectors:
  1 x USB 2.0 Type-B female
  4 x USB 2.0 Type-A female
  - 1 x DC jack
- Data transfer rate up to 480 Mbps
- Bootable
- LED indicator for power
- 5 kV optical isolation for data
- 3 kV isolation for power
- Power supply: Bus-powered or Self-powered, Bus-powered up to 300 mA
- Operating temperature: 0  $^\circ\text{C}$  ~ 40  $^\circ\text{C}$
- Storage temperature: 0 °C ~ 60 °C
- Dimensions (LxWxH): ca. 90 x 73 x 31 mm

#### **DATASHEET**



- Robust metal housing
- Colour: black

#### Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.5 A
- Output: 5.0 V / 2.0 A
- Ground outside, plus inside
- Dimensions: inside: ø ca. 2.1 mm outside: ø ca. 5.5 mm

length: ca. 10 mm

## System requirements

- Android 11.0 or above
- Chrome OS
- Linux Kernel 5.15 or above
- Mac OS 12.4 or above
- Windows 8.1/8.1-64/10/10-64/11
- Windows Server 2019
- PC or laptop with a free USB port

#### Package content

- Isloator
- 1 x cable USB 2.0 Type-B male to USB 2.0 Type-A male ca. 60 cm
- Power supply
- Screws
- User manual



## Images





#### General

Supported operating system:	Chrome OS
	Windows 10 32-Bit
	Windows 10 64-Bit
	Windows 10 Mobile
	Windows 8.1 32-Bit
	Windows 8.1 64-Bit
	Windows Server 2019
	Mac OS 12.4 oder höher
	Android 11.0 or above
	Linux Kernel 5.15 or above

## Interface

Connector 1:	1 x USB 2.0 Type-B female
Connector 2:	4 x USB 2.0 Type-A female
connector 3:	1 x DC jack

# **Physical characteristics**

Colour:	black	
---------	-------	--