

RJ45 Port Doubler 1 x RJ45 plug > 2 x RJ45 jack (2 x ISDN)

Description

This Y-adapter by Delock enables you to double a fixed installed network connection. Thus you can use one single cable for two simultaneous ISDN connections.

This application requires two adapters, which need to be connected with each cable side to the networking socket or patch panel. Hence you get two female ports instead of only one.



Please Note

The adapter can not be used alone; a second adapter or a corresponding patch panel with 2 ports is always necessary.

Item no. 65224

EAN: 4043619652242

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors: 1 x RJ45 plug > 2 x RJ45 jack
- Anodized plastic case
- Pin layout:

Plug	1 2	3 6 4 5	7 8	
	5 4	-	3 6	ISDN
Socket1				
	-	3 6 4 5	-	ISDN
Socket2				
- Cable length ca. 15 cm


System requirements

- A 8 pin Cat.5 cable with RJ45 female ports on both sides (structured cabling, wall socket or patch panel)
- A second port doubler

Package content

- RJ45 Port Doubler
- 2 x screw

Images



General

Mounting type:	design mounting
Specification:	Cat. 5e

Interface

Connector 1:	1 x RJ45 male
Connector 2:	2 x RJ45 jack

Physical characteristics

Shielding:	shielded
------------	----------

Manufacturer information

Street Beeskowdamm 13/15
 Postal code 14167
 City Berlin
 Country Deutschland
 E-Mail info@delock.de
 Website www.delock.de

