

# Delock Adapter mini DisplayPort 1.2 male > HDMI female 4K Active black

## Description

This adapter by Delock enables the connection of an HDMI monitor to the system via a free mini DisplayPort interface. The adapter supports a resolution up to 4K Ultra HD at 30 Hz and is backward compatible to Full-HD 1080p. The adapter offers an active conversion, thus it is also suitable for graphics cards that are not capable of outputting DP++ signals.



**Item no. 65581**

EAN: 4043619655816

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x mini DisplayPort 20 pin male >
  - 1 x HDMI-A 19 pin female
- Chipset: Parade PS171
- DisplayPort 1.2 and High Speed HDMI specification
- Active converter, for graphics cards with DP and DP++ output
- Resolution up to 3840 x 2160 @ 30 Hz  
(depending on the system and the connected hardware)
- Supports 3D displays (1080p @ 120 Hz)
- Supports HDCP 1.3
- Supports Eyefinity
- Audio input formats: 8-channel LPCM, compressed audio (AC-3, DTS) and HBR audio format up to 24 Bit audio sample size and 192 kHz sample rate
- Connectors: gold-plated
- Dimensions incl. connector (LxWxH): ca. 62 x 22 x 15 mm
- Colour: black
- OS independent, no driver installation necessary

## System requirements

- A free mini DisplayPort female

---

## Package content

- Adapter mini DisplayPort to HDMI

---

## Images



## General

Specification:	DisplayPort 1.2
----------------	-----------------

## Interface

Connector 1:	1 x mini DisplayPort male
Connector 2:	1 x HDMI female

## Technical characteristics

Chipset:	Parade PS171
Maximum screen resolution:	3840 x 2160 @ 30 Hz

## Physical characteristics

Length:	62 mm
Width:	22 mm
Height:	15 mm
Colour:	black

## Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de