

Delock Adapter mini DisplayPort 1.1 male > VGA female + Audio + Power black

Description

This adapter enables you to connect e.g. a VGA monitor through a free mini DisplayPort interface. The adapter supports an audio connection by using the 3.5 mm stereo jack interface. The Micro USB port can be used for providing additional power, if required.



Item no. 65598

EAN: 4043619655984

Country of origin: China

Package: Retail Box

Technical details

- Connector:
 - mini DisplayPort 20 pin male > VGA 15 pin female (video)
 - 3.5 mm stereo jack (audio)
 - Micro USB type B female (power)
- Chipset: LT 8711
- VGA port with screw nuts
- DisplayPort 1.1a specification
- Resolution up to 1920 x 1200 @ 60 Hz (depending on the monitor and your system)
- Standby detection, standby enter into sleep mode automatically
- Cable length ca. 8 cm without connector
- Colour: black
- OS independent, no driver installation necessary

System requirements

- A free mini DisplayPort female port

Package content

- Adapter mini DisplayPort to VGA

Images



Interface

Connector 1:	1 x mini DisplayPort male
Connector 2:	1 x VGA 15 pin female
Connector 3:	1 x 3.5 mm 3 pin stereo jack female

Technical characteristics

Chipset:	LT8711
Maximum screen resolution:	1920 x 1200 @ 60 Hz

Physical characteristics

Ferrite core:	1 x
Cable length:	8 cm
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de