


# Delock Connector SATA with NSS function 180°

## Description

This connector by Delock is suitable for SATA hard drives or SSDs. It can be integrated into a system, for example for using with mobile racks. The patented [NSS \(= Non Scratch SATA\) technology](#) has an integrated spring mechanism on one of the 22 pin sides, which ensures the ejection of the hard drive. Thus the hard drive must be secured in a frame, otherwise the connector would eject the hard drive promptly. Because of the NSS technology the connector is protected with every insert procedure, as it avoids the scratching of the contacts. The 22 pin connector will be soldered with 180° angle on the PCB.



**Item no. 65694**

EAN: 4043619656943

Country of origin: China

Package: Retail Box

## Special features

- Spring mechanism (NSS)

## Specification

- Connector:  
1 x 22 pin SATA receptacle (NSS connector) >  
solder connection 180°
- SMT PCB mounting
- Solder pin: Ø 0.4 mm
- Pitch distance: 1.27 mm
- Protects the SSD or HDD up to 50,000 plug cycles
- Dimensions (LxWxH): ca. 48.74 x 26.25 x 6.45 mm
- Colour: black

## Package content

- Connector

## Images



## Interface

Connector 1:	1 x 22 pin SATA receptacle (NSS connector)
Connector 2:	solder connection 180°

## Physical characteristics

Solder pin:	Ø 0.4 mm
Pitch distance:	1.27 mm
Length:	48.74 mm
Width:	26.25 mm
Height:	6.45 mm
Colour:	black