

Delock USB Type-C™ PD Adapter with OLED indicator for Voltage and Ampere – bidirectional

Description

This USB-C™ PD (Power Delivery) adapter with OLED display by Delock is used to read the amperage and voltage during charging process or when transmitting data. The adapter works in both directions, so that the power source can be connected to the USB Type-C™ male port as well as to the USB Type-C™ female port. The OLED display shows the current ampere and voltage of the connected device. An additional arrow indicates the direction of the power flow.



Item no. 65844

EAN: 4043619658442

Country of origin: China

Package: Retail Box

Note

Please note that the display of the ampere can only support exact measuring values up to 2.4 A. The accuracy between 2.4 A – 3.4 A may be imprecise. Above 3.5 A the adapter will automatically switch off.

Specification

- Connectors:
 - 1 x USB Type-C™ male >
 - 1 x USB Type-C™ Power Delivery female
- Double row OLED display
- Supports charging function and data transfer in both directions
- Voltage and ampere indication at the same time
- Data transfer rate up to SuperSpeed USB 5 Gbps
- For direct voltage up to 20 V
- Ampere indication up to 3.4 A
- Colour: silver
- Dimensions incl. connector (LxWxH): ca. 62 x 20 x 8 mm

System requirements

- A free USB Type-C™ female port

Package content

- Adapter USB with V / A indicator

Images



General

LED indicator:	Double row OLED display Voltage and ampere indication at the same time
----------------	---

Interface

Connector 1:	1 x USB Type-C™ male
Connector 2:	1 x USB Type-C™ female

Technical characteristics

Voltage:	For direct voltage up to 20 V
----------	-------------------------------

Physical characteristics

Length:	62 mm
Width:	20 mm
Height:	8 mm
Colour:	silver