

# Delock Condenser Table Microphone omnidirectional for conference with 3.5 mm stereo jack male 3 pin

## Description

This table microphone by Delock is suitable for use in conferences. The omnidirectional and cone-shaped directivity ensures that the sound is optimally captured and therefore has a high range and is ideal for recording interviews, conferences, lectures, etc. It can be connected to any PC or laptop via the 3 pin stereo jack connector. The 4 pin Y-adapter included in the delivery also allows connection to a tablet or smartphone.



**Item no. 65873**

EAN: 4043619658732

Country of origin: China

Package: Retail Box

## Technical details

- Connector: 1 x 3.5 mm 3 pin stereo jack male
- Y-Adapter:
  - 1 x 3.5 mm 4 pin stereo jack male (CTIA standard) >
  - 1 x 3.5 mm 3 pin stereo jack female microphone
  - 1 x 3.5 mm 3 pin stereo jack female headset
- Directivity: omnidirectional
- Impedance: 2.2 kOhm
- Sensitivity: -32 dB +/- 3 dB
- Frequency range: 100 Hz - 10 kHz
- Dimensions (Ø x H): ca. 60 x 15 mm
- Weight: ca. 65.5 g
- Cable length: ca. 2.5 m

## System requirements

- A free stereo port 3.5 mm

## Package content

- Microphone
- Y-Adapter

## Images



ca. 2,5 m



## Interface

Connector:	1 x 3.5 mm 3 pin stereo jack male
Connector 1:	1 x 3.5 mm 4 pin stereo jack male (CTIA standard)
Connector 2:	1 x 3.5 mm 3 pin stereo jack female microphone
Connector 3:	1 x 3.5 mm 3 pin stereo jack female headset

## Technical characteristics

Frequency range:	100 Hz - 10 kHz
Impedance:	2.2 kOhm
Sensitivity:	-32 dB +/- 3 dB
Directivity:	omnidirectional

## Physical characteristics

Weight:	ca. 65.5 g
Cable length:	2.5 m
Diameter:	60 mm
Height:	15 mm

## Herstellerinformation

---

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de