


Delock Terminal block for PCB soldering version 3 pin 9.50 mm pitch vertical 10 pieces

Description

This terminal block by Delock is suitable for the mounting on a PCB. This can be soldered on a board, to create a screw connection. Furthermore, data or power cables can be connected via the terminal block.



Item no. 66022

EAN: 4043619660223

Country of origin: China

Package: Zip poly bag




Specification

- Connectors:
 - 1 x 3 pin terminal block screw terminal
 - 1 x 3 soldering pin
- Pitch: 9.50 mm
- Environmental temperature: -40 °C ~ 105 °C
- Useable for a cable gauge from 26 to 10 AWG
- Withstanding voltage: AC 3000 V / 1 min
- Rated voltage according to: UL: 300 V, IEC: 750 V
- Rated current according to: UL: 30 A, IEC: 26 A
- Insulation resistance: 500 MΩ / DC 500 V
- Material: plastic
- Colour: green
- Dimensions (LxWxH): ca. 28.6 x 21.8 x 12.6 mm

Package content

- 10 x Terminal block

Images



General

| | |
|-------------------------------|-------------|
| Suitable for conductor gauge: | 26 - 10 AWG |
| Mounting type: | Soldering |

Interface

| | |
|--------------|---|
| Connector 1: | 1 x 3 pin terminal block screw terminal |
| Connector 2: | 1 x 3 soldering pin |

Technical characteristics

| | |
|----------------------|-------------------|
| Storage temperature: | -40 °C ~ 105 °C |
| Resistor: | 500 MΩ / DC 500 V |

Physical characteristics

| | |
|-------------------|---------|
| Pitch distance: | 9.50 mm |
| Housing material: | Plastic |
| Length: | 28.6 mm |
| Width: | 21.8 mm |
| Height: | 12.6 mm |
| Colour: | green |