

Delock Adapter SuperSpeed USB (USB 3.2 Gen 1) with USB Type-C™ male > Gigabit LAN 10/100/1000 Mbps compact black

Description

The adapter by Delock expands a PC or laptop by one network interface via the USB Type-C™ interface. In addition, the adapter can also be operated on a Thunderbolt™ 3 interface.

With the small dimensions, the adapter is space-saving to transport and can be used practically everywhere.



Specification

- Connectors:
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male >
 - 1 x Gigabit LAN RJ45 jack
- Chipset: ASIX AX88179A
- SuperSpeed USB - 5 Gbps specification
- Data transfer rate:
 - Ethernet up to 10 Mbps (Half/Full Duplex)
 - Fast Ethernet up to 100 Mbps (Half/Full Duplex)
 - Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)
- Compatible with:
 - IEEE 802.3: 10BASE-T
 - IEEE 802.3u: 100BASE-TX
 - IEEE 802.3ab: 1000BASE-T
- Supports Auto MDI-X (automatic detection of standard or crossover network cable)
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Support full duplex operation with IEEE 802.3x flow control and half duplex operation with back-pressure
- Supports 4k Jumbo Frames
- LED indicator for link and activity
- USB bus powered
- Colour: black
- Cable length without connectors: ca. 9 cm
- Dimensions (LxWxH): ca. 40 x 20 x 19 mm

System requirements

- Linux Kernel 3.10 or above
- Mac OS 10.9 or above
- Windows 8.1/8.1-64/10/10-64
- Laptop or tablet with a free USB Type-C™ or Thunderbolt™ 3 port

Package content

- USB Type-C™ Gigabit LAN adapter
- User manual

Item no. 66043

EAN: 4043619660438

Country of origin: China

Package: Retail Box

Images



General

Supported operating system:	Linux Kernel 3.10 or above
	Mac OS 10.9 or above
	Windows 10 32-bit
	Windows 10 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit

LED indicator:	Link and activity
----------------	-------------------

Interface

Connector 1:	1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male
Connector 2:	1 x Gigabit LAN RJ45 female

Technical characteristics

Chipset:	ASIX AX88179
Data transfer rate:	Ethernet up to 10 Mbps
	Fast Ethernet up to 100 Mbps
	Gigabit Ethernet up to 1000 Mbps

Physical characteristics

Cable length:	9 cm
Length:	40 mm
Width:	20 mm
Height:	19 mm
Colour:	black